

In the Claims

Applicant has submitted a new complete claim set showing marked up claims with insertions indicated by underlining and deletions indicated by strikeouts and/or double bracketing.

1.-35. (Canceled)

36. (Currently Amended) A method for determining whether monosaccharides or disaccharides of a query sequence match monosaccharides or disaccharides of a polysaccharide, ~~wherein the polysaccharide is not a nucleic acid, and~~ wherein the query sequence is represented by a first data structure, tangibly embodied in a computer-readable medium, including an identifier that includes one or more fields, each field for storing a value corresponding to ~~[[a]]~~the monosaccharides or disaccharides of the query sequence, and wherein the polysaccharide is not a nucleic acid and is~~being~~ represented by a second data structure, tangibly embodied in a computer-readable medium, including an identifier that includes one or more fields, each field for storing a value corresponding to ~~[[a]]~~the monosaccharides or disaccharides of the polysaccharide, the method comprising acts of:

(A) a user providing input for the one or more fields of the first data structure with an input device;

(B) generating at least one mask based on the values stored in the one or more fields of the first data structure;

(C) performing at least one binary operation on the values stored in the one or more fields of the second data structure using the at least one mask to generate at least one result; and

(D) determining whether the monosaccharides or disaccharides of the query sequence match the monosaccharides or disaccharides of the polysaccharide ~~based on the at least one result~~ by comparing the at least one result to the at least one mask.

37. (Original) The method of claim 36, wherein each of the one or more fields of the first and second data structures is a bit field.

38.-53. (Canceled)

54. (Previously Presented) The method of claim 36, wherein each of the one or more fields of the first and second data structures is a non-character based field.

55. (Previously Presented) The method of claim 36, wherein each of the identifiers of the first and second data structures is represented as a numerical identifier.

56. (Previously Presented) The method of claim 55, wherein each of the identifiers of the first and second data structures is represented as a single digit hexadecimal number.

57. (Previously Presented) The method of claim 55, wherein each of the identifiers of the first and second data structures is represented as a decimal value.

58. (Previously Presented) The method of claim 57, wherein the decimal value may be reduced to a plurality of prime divisors.

59. (Previously Presented) The method of claim 36, wherein the monosaccharide or disaccharide of the polysaccharide is a monosaccharide.

60. (Previously Presented) The method of claim 36, wherein the monosaccharide or disaccharide of the polysaccharide is a disaccharide.

61. (Previously Presented) The method of claim 36, wherein the value corresponding to the monosaccharide or disaccharide of the polysaccharide corresponds to one or more properties of the monosaccharide or disaccharide of the polysaccharide.

62. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the identity of the monosaccharide or disaccharide of the polysaccharide.

63. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the exact chemical structure as defined by the basic building block of the polysaccharide.

64. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the charge of the monosaccharide or disaccharide of the polysaccharide.

65. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the molecular weight of the monosaccharide or disaccharide of the polysaccharide.

66. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the nature and degree of sulfation of the monosaccharide or disaccharide of the polysaccharide.

67. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the nature and degree of acetylation of the monosaccharide or disaccharide of the polysaccharide.

68. (Previously Presented) The method of claim 61, wherein the one or more properties comprises the nature or identity of substituents of the monosaccharide or disaccharide of the polysaccharide.

69. (Previously Presented) The method of claim 61, wherein the act of determining includes an act of determining that one or more properties of the monosaccharide or disaccharide of the query sequence match the one or more properties of the monosaccharide or disaccharide of the polysaccharide when the at least one result has a non-zero value.

70. (Previously Presented) The method of claim 36, wherein the monosaccharide or disaccharide of the polysaccharide is a monosaccharide or disaccharide of a heparin-like glycosaminoglycan.

71. (Previously Presented) The method of claim 36, wherein the at least one binary operation includes at least one logical AND operation.

72. (Previously Presented) The method of claim 37, wherein the at least one binary operation includes acts of performing a logical AND operation on the values stored in the one or more bit fields of the second data structure using each of the at least one mask to generate intermediate results, and combining the intermediate results using at least one logical OR operation to generate the at least one result.